








































Situation Analysis Dashboard (National Level)

What is the situation stakeholders need to address?

Severity:
 Low
 Medium
 High

Trend:
 Improvement
 No change
 Worsening

	Indicator	Status	Source	Year	Severity	Trend	
Nutritional impact	Stunting	Stunting prevalence among children 0-59 mo. old	37.9%	DHS	2014/15		 44.2% (2010)
	Wasting	GAM prevalence among children 0-59 mo. old	2.2%	DHS	2014/15		 2.8% (2010)
		SAM prevalence among children 0-59 mo. old	0.6%	DHS	2014/15		 0.8% (2010)
	Underweight	Underweight prevalence among children 0-59 mo. old	9.3%	DHS	2014/15		 11.4% (2010)
	Iron deficiency	Anemia among children 6-59 mo. old (any anemia)	36.5%	DHS	2014/15		 38.1% (2010)
		Anemia among women 15-49 yrs old (any anemia)	19.2%	DHS	2014/15		 17.3% (2010)
	Vit A deficiency	Vitamin A deficiency among children 0-59 mo. old	N/A	N/A	N/A		6.4% (1996)
Iodine deficiency	Iodine deficiency among children 6-12 years old	N/A	N/A	N/A	na	N/A	
Underlying causes	Food security	Households with poor & borderline food cons. score	21.1%	CFSVA	2012	na	 21.5% (2009)
		Global Hunger Index rating	15.6	GHI	2014		 24.1 (2005)
	Health & Sanitation	Under 5 mortality rate (deaths per 1,000 live births)	50	DHS	2014/15		 76 (2010)
		Low birthweight prevalence (<2,500g)	X.x%	DHS	2014/15	na	 6.2% (2010)
		Women 15-49yrs with problems accessing health care	Xx.x%	DHS	2014/15	na	 61.4% (2010)
		Household access to improved water source	84.8%	EICV	2013/14		 74.2% (2010/11)
Care	Household access to improved sanitation facilities	83.4%	EICV	2013/14	na	 74.5% (2010/11)	
	Households with handwashing facility, soap & water	Xx.x%	DHS	2014/15	na	2.1% (2010)	
	Infants 0–5 mo. exclusively breastfed	87.3%	DHS	2014/15	na	 84.9% (2010)	
	Timely initiation of solid or semi-solid foods (6-8 mo)	55.8%	DHS	2014/15	na	 61.2% (2010)	
	Children 6-23 mo. old with min acceptable diet (MAD)	17.8%	DHS	2014/15	na	 16.8% (2010)	
Basic causes	Education	Females that completed primary school or higher	Xx.x%	DHS	2014/15	na	 30.1% (2010)
		Literacy rate 15 years or more - Women	67.6%	EICV	2013/14	na	 64.5% (2010/11)
	Population	Total fertility rate	4.2	DHS	2014/15	na	 4.6 (2010)
		Percentage with unmet need for family planning	18.9%	DHS	2014/15	na	 18.9% (2010)
Gender	Teenage pregnancy: women 15-19 with a live birth	5.5%	DHS	2014/15	na	 4.7% (2010)	
	Women who participate in major household decisions	Xx.x%	DHS	2014/15	na	 58.7% (2010)	
Poverty	Global Gender Gap ranking	7 / 142	GGGI	2014	na	N/A	
	Population living under national poverty line	39.1%	EICV	2013/14	na	 44.9% (2010/11)	
	Population living in extreme poverty (national line)	16.3%	EICV	2013/14	na	 24.1% (2010/11)	

Note: Missing information to be updated when the full Rwanda DHS 2014/15 and CFSVA 2015 are released

Situation Analysis Dashboard (National Level)

Gender-sensitive view highlighting data gaps

Severity:
 Low
 Medium
 High

Trend:
 Improvement
 No change
 Worsening

		Indicator	Status	Female	Severity	Trend	Male	Severity	Trend
Nutritional impact	Stunting	Stunting prevalence among children 0-59 mo. old	37.9%	32.9%		41.1%	42.7%		47.4%
	Wasting	GAM prevalence among children 0-59 mo. old	2.2%	2.0%		2.4%	2.4%		3.3%
		SAM prevalence among children 0-59 mo. old	0.6%	0.3%		0.6%	0.9%		1.0%
	Underweight	Underweight prevalence among children 0-59 mo. old	9.3%	9.3%		10.2%	9.3%		12.7%
	Iron deficiency	Anemia among children 6-59 mo. old (any anemia)	36.5%	35.8%		35.0%	37.3%		41.2%
		Anemia among women 15-49 yrs old (any anemia)	19.2%	19.2%		17.3%			
	Vit A deficiency	Vitamin A deficiency among children 0-59 mo. old	N/A						
Iodine deficiency	Iodine deficiency among children 6-12 years old	N/A			na		na		
Underlying causes	Food security	Households with poor & borderline food cons. score Global Hunger Index rating	21.1% 15.6		na 			na 	
	Health & Sanitation	Under 5 mortality rate (deaths per 1,000 live births)	50	XX		97	XX		107
		Low birthweight prevalence (<2,500g)	Xx.x%		na			na	
		Women 15-49yrs with problems accessing health care	Xx.x%		na	61.4%		na	
		Household access to improved water source	84.8%						
	Care	Household access to improved sanitation facilities	83.4%		na			na	
Households with handwashing facility, soap & water		Xx.x%		na			na		
Infants 0-5 mo. exclusively breastfed		87.3%		na			na		
Children 6-23 mo. old with min acceptable diet (MAD)	Timely initiation of solid or semi-solid foods (6-8 mo)	55.8%		na			na		
		17.8%	Xx.x%	na	16.6%	Xx.x%	na	17.1%	
Basic causes	Education	Females/male that completed primary school or higher	Xx.x%	Xx.x%	na	30.1%	Xx.x%	na	33.4%
		Literacy rate 15 years or more	72.1%	67.6%	na	64.5%	77.3%	na	75.7%
	Population	Total fertility rate	4.2	4.2	na	4.6		na	
		Percentage with unmet need for family planning	18.9%		na			na	
Gender	Teenage pregnancy: women 15-19 with a live birth	5.5%	5.5%	na	4.7%		na		
	Women who participate in major household decisions	Xx.x%	Xx.x%	na	58.7%		na		
Poverty	Global Gender Gap ranking	7 / 142		na			na		
	Population living under national poverty line	39.1%		na			na		
	Population living in extreme poverty (national line)	16.3%		na			na		

Note: Missing information to be updated when the full Rwanda DHS 2014/15 and CFSVA 2015 are released

Situation Analysis Dashboard (National Level)

Urban Vs. rural areas showing data gaps and disparities

Severity:
● Low
● Medium
● High

Trend:
➤ Improvement
➡ No change
➤ Worsening

		Indicator	Status	Urban	Severity	Trend	Rural	Severity	Trend
Nutritional impact	Stunting	Stunting prevalence among children 0-59 mo. old	37.9%	23.7%	●	➤ 27.3%	40.6%	●	➤ 46.5%
	Wasting	GAM prevalence among children 0-59 mo. old	2.2%	1.8%	●	➤ 3.5%	2.3%	●	➤ 2.7%
		SAM prevalence among children 0-59 mo. old	0.6%	0.6%	●	➤ 1.7%	0.6%	●	➤ 0.7%
	Underweight	Underweight prevalence among children 0-59 mo. old	9.3%	5.9%	●	➤ 6.3%	10.0%	●	➤ 12.1%
	Iron deficiency	Anemia among children 6-59 mo. old (any anemia)	36.5%	30.2%	●	➤ 35.7%	37.7%	●	➤ 38.4%
		Anemia among women 15-49 yrs old (any anemia)	19.2%	16.3%	●	➤ 16.2%	19.9%	●	➤ 17.4%
	Vit A deficiency	Vitamin A deficiency among children 0-59 mo. old	N/A						
Iodine deficiency	Iodine deficiency among children 6-12 years old	N/A			na		na		
Underlying causes	Food security	Households with poor & borderline food cons. score Global Hunger Index rating	21.1% 15.6	6%	na ●		24%	na ●	
	Health & Sanitation	Under 5 mortality rate (deaths per 1,000 live births)	50	XX	●	81	XX	●	105
		Low birthweight prevalence (<2,500g)	X.x%	X.x%	na	5.9%	X.x%	na	6.3%
		Women 15-49yrs with problems accessing health care	Xx.x%	Xx.x%	na	48.1%	Xx.x%	na	63.8%
		Household access to improved water source	84.8%	90.0%	●	➤ 87.1%	83.7%	●	➤ 71.9%
	Household access to improved sanitation facilities	83.4%	93.5%	na	➤ 87.4%	81.3%	na	➤ 72.2%	
Care	Households with handwashing facility, soap & water	Xx.x%	Xx.x%	na	6.0%	Xx.x%	na	1.5%	
	Infants 0-5 mo. exclusively breastfed	87.3%		na			na		
	Timely initiation of solid or semi-solid foods (6-8 mo)	55.8%		na			na		
	Children 6-23 mo. old with min acceptable diet (MAD)	17.8%	Xx.x%	na	➤ 32.1%	Xx.x%	na	➤ 15.0%	
Basic causes	Education	Females that completed primary school or higher	Xx.x%	Xx.x%	na	➤ 50.5%	Xx.x%	na	➤ 26.4%
		Literacy rate 15 years or more	72.1%	87.5%	na	➤ 85.8%	68.6%	na	➤ 66.2%
	Population	Total fertility rate	4.2	3.6	na	➤ 3.4	4.3	na	➤ 4.8
		Percentage with unmet need for family planning	18.9%	17.3%	na	➤ 15.5%	19.3%	na	➤ 19.5%
Gender	Teenage pregnancy: women 15-19 with a live birth	5.5%	5.6%	na	➤ 4.2%	5.4%	na	➤ 4.8%	
	Women who participate in major household decisions Global Gender Gap ranking	Xx.x% 7 / 142	Xx.x%	na na	➤ 67.8%	Xx.x%	na na	➤ 57.3%	
Poverty	Population living under national poverty line	39.1%	Xx.x%	na	➤ 22.1%	Xx.x%	na	➤ 48.7%	
	Population living in extreme poverty (national line)	16.3%	Xx.x%	na	➤ 10.4%	Xx.x%	na	➤ 26.4%	

Note: Missing information to be updated when the full Rwanda DHS 2014/15, EICV4 2013/14 and CFSVA 2015 are released